



1. PARTS COMPLY WITH AMP SOLDERABILITY SPEC. NO. 109-11-3
 CONTACT IS PLATED OVERALL WITH .000050 NICKEL, THEN .000030 GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.

ASSEMBLY NO.	HSG. MATL.	COLOR	FIN MATL.	FINISH
350220-2	NYLON	NATURAL	COPPER ALLOY	GOLD/A
350220-1	NYLON - NATURAL		COPPER ALLOY - PRE-TIN	

DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED

REV.	DESCRIPTION	BY	CHK	DATE
K	RESTORED	RS	RS	6/20/87
K	REV. PER M-7375	RS	RS	8-27-83
J	REV. PER M-7285	MS	DH	2/1/83
H	ADDED NOTE 2, M-6699	MS	DH	3-27-81
G	REV. TRAIL LENGTH M-5334	MS	DH	6-24-79
F	REVISED M-4161	MF	DH	3-7-77
E	ECN M-3871	PCN	DH	8-76
D	ECN M-3652	GV	PRE	11-76
C	ECN M-3156	BL	PCN	1-74
B	REDRAWN ADDED CLAWS	MS	PCN	1-74
A	REVISED	MS	PCN	1-74

DESCRIPTION	NUMBER	NAME	REMARKS	ITEM NO.
REQUIRED PER ASSEMBLY				
© 1975 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.		CUSTOMER COPY REFERENCE ONLY		
DATE: 6-27-73	MATERIAL AND FINISH: SEE TABLE		AMP INCORPORATED	
BY: G. Schuman	WIRE - RANGE - INSULATION: SEE TABLE		GLASS: H	
CHK: [Signature]	TOLERANCE EXCEPT AS NOTED: SEE TABLE		TYPE: H	
BY: [Signature]	SCALE: 2" = 1"		LOC: CM B	
NAME: 12 CIRCUIT MATE-N-LOK P.C. BOARD PIN HEADER		REV: M		